

? show files

[File 15] **ABI/Inform(R)** 1971-2009/May 18
(c) 2009 ProQuest Info&Learning. All rights reserved.
[File 9] **Business & Industry(R)** Jul/1994-2009/May 18
(c) 2009 Gale/Cengage. All rights reserved.
[File 635] **Business Dateline(R)** 1985-2009/May 19
(c) 2009 ProQuest Info&Learning. All rights reserved.
[File 610] **Business Wire** 1999-2009/May 19
(c) 2009 Business Wire. All rights reserved.
**File 610: File 610 now contains data from 3/99 forward. Archive data (1986-2/99) is available in File 810.*
[File 810] **Business Wire** 1986-1999/Feb 28
(c) 1999 Business Wire . All rights reserved.
[File 647] **UBM Computer Fulltext** 1988-2009/May W1
(c) 2009 UBM, LLC. All rights reserved.
[File 674] **Computer News Fulltext** 1989-2006/Sep W1
(c) 2006 IDG Communications. All rights reserved.
**File 674: File 674 is closed (no longer updates).*
[File 696] **DIALOG Telecom. Newsletters** 1995-2009/May 18
(c) 2009 Dialog. All rights reserved.
[File 275] **Gale Group Computer DB(TM)** 1983-2009/Apr 23
(c) 2009 Gale/Cengage. All rights reserved.
[File 47] **Gale Group Magazine DB(TM)** 1959-2009/May 08
(c) 2009 Gale/Cengage. All rights reserved.
[File 621] **Gale Group New Prod.Annou.(R)** 1985-2009/Apr 14
(c) 2009 Gale/Cengage. All rights reserved.
[File 636] **Gale Group Newsletter DB(TM)** 1987-2009/Apr 28
(c) 2009 Gale/Cengage. All rights reserved.
[File 16] **Gale Group PROMT(R)** 1990-2009/Apr 28
(c) 2009 Gale/Cengage. All rights reserved.
**File 16: UD/banner does not reflect last processed date*
[File 160] **Gale Group PROMT(R)** 1972-1989
(c) 1999 The Gale Group. All rights reserved.
[File 148] **Gale Group Trade & Industry DB** 1976-2009/May 05
(c) 2009 Gale/Cengage. All rights reserved.
**File 148: The CURRENT feature is not working in File 148. See HELP NEWS148.*
[File 624] **McGraw-Hill Publications** 1985-2009/May 19
(c) 2009 McGraw-Hill Co. Inc. All rights reserved.
[File 369] **New Scientist** 1994-2009/May W1
(c) 2009 Reed Business Information Ltd. All rights reserved.
[File 484] **Periodical Abs Plustext** 1986-2009/May W2
(c) 2009 ProQuest. All rights reserved.
**File 484: Despite the gap in UD's all content is present.*
[File 613] **PR Newswire** 1999-2009/May 19
(c) 2009 PR Newswire Association Inc. All rights reserved.
**File 613: File 613 now contains data from 5/99 forward. Archive data (1987-4/99) is available in File 813.*
[File 813] **PR Newswire** 1987-1999/Apr 30
(c) 1999 PR Newswire Association Inc. All rights reserved.
[File 634] **San Jose Mercury** Jun 1985-2009/May 15
(c) 2009 San Jose Mercury News. All rights reserved.
[File 370] **Science** 1996-1999/Jul W3
(c) 1999 AAAS. All rights reserved.
**File 370: This file is closed (no updates). Use File 47 for more current information.*
[File 553] **Wilson Bus. Abs.** 1982-2009/May
(c) 2009 The HW Wilson Co. All rights reserved.
[File 98] **General Sci Abs** 1984-2009/May
(c) 2009 The HW Wilson Co. All rights reserved.

; d s

Set Items Description

S1 406163 S (CLEAN? OR FILTER? OR ANALYSIS? ? OR ANALYZIS? ?)(10N)(ATTRIBUTE? ? OR CHARACTERISTIC? ? OR FEATURE? ? OR PROFILE? ? OR IDENTIFIER? ? OR SETTING? ? OR PARAMETER? ? OR PREFERENCE? ? OR METADATA OR CONFIGURATION? ?)
S2 657472 S (BOOLEAN OR (X OR EX OR EXCLUSIV?))("OR" OR "NOR") OR XOR OR EXOR OR NAND OR XNOR OR ("OR" OR "AND" OR "NOT" OR "NOR" OR LOGIC))(3N)(FLAG? ? OR TAG? ? OR IDENTIFIER? ? OR INDICATOR? ? OR DESCRIPTOR? ? OR LABEL? ? OR MARK? ? OR MARKER? ? OR SYMBOL? ? OR INDICIA? ?)
S3 472 S S1(20N)S2

S4 695673 S (CLEAN? OR FILTER? OR ANALYSIS? ? OR ANALYZIS? ?)(5N)(DATA OR RECORD? ? OR DATUM
OR FILE? ?)
S5 37 S S3(20N)S4
S6 72528 S S1(5N)(PREPEND??? OR PRE()PEND??? OR APPEND??? OR CLEAN??? OR DISTRIBUT??? OR
GENERAT???)
S7 0 S S6(20N)S5
S8 51 S S3(100N)S4
S9 42 RD (unique items)
S10 28 S S9 AND PY=1963:2003
S11 2 S S10 AND S6

?

Subject summary

? t s10/3,k/all

10/3,K/1 (Item 1 from file: 15) [Links](#)

ABI/Inform(R)

(c) 2009 ProQuest Info&Learning. All rights reserved.

02528005 249926211

What's the use? The value of e-resource usage statistics

Peters, Thomas A

New Library World v103n1/2 pp: 39-47

2002

ISSN: 0307-4803 **Journal Code:** NLW

Word Count: 5137

Text:

...of information than did gate counts and circulation statistics. We continue to study presumably good **indicators** of use, **not** use itself. Third, we need to be careful about any inferences we make from an **analysis** of usage **data** about the needs, interests, and **preferences** of users. How do users actually apply library resources and services to the information and...

10/3,K/2 (Item 2 from file: 15) [Links](#)

ABI/Inform(R)

(c) 2009 ProQuest Info&Learning. All rights reserved.

02399391 144447761

eSignal 7.0.1

Holter, James T

Futures v31n9 pp: 58-59

Jul 2002

ISSN: 0746-2468 **Journal Code:** CMM

Word Count: 1466

Text:

...as TradeStation and MetaStock, but it's a well-liked feature that has crept into **data** and **analysis** integrated packages, such as CQG and FutureSource, in recent years. eSignal has joined the party...
...that nonetheless is quite powerful. (Note that eSignal, as is the case with the other **data** and **analysis** integrated packages, has yet to integrate system testing **features** along with the custom indicator tools.)
Users can access code for individual **indicators** or other display studies. These studies can, for example, draw custom colored bars beneath the chart...

10/3,K/3 (Item 3 from file: 15) [Links](#)

ABI/Inform(R)

(c) 2009 ProQuest Info&Learning. All rights reserved.

01678882 03-29872

Dualism in the German labor market? A nonparametric analysis with panel data

Beck, Matthias P

American Journal of Economics & Sociology v57n3 pp: 261-283

Jul 1998

ISSN: 0002-9246 **Journal Code:** AES

Word Count: 7231

Text:

...practical point, while factor analytic methods can uncover such patterns in data as job quality **indicators**, they generally do **not** allow for weighing the incidence of certain patterns over others.
Configuration Frequency Analysis (CFA) is a nonparametric alternative to factor **analysis** in the context of **data** classification. This multivariate procedure, originally developed to uncover combinations of symptoms in clinical psychology, has...

10/3,K/4 (Item 4 from file: 15) [Links](#)

ABI/Inform(R)

(c) 2009 ProQuest Info&Learning. All rights reserved.

01103530 97-52924

Dimensions of an attribute

Grapentine, Terry
Marketing Research: A Magazine of Management & Applications v7n3 pp: 18-27
Summer 1995
ISSN: 1040-8460 **Journal Code:** MRE
Word Count: 3822
Text:

...use judgment guided by theory when interpreting not only factor analysis findings but also item **analysis** and coefficient alpha. Consequently, in purifying this summated scale, **attribute** B was omitted. One could argue that (1) perceptual dimensions are nothing more than arbitrary **labels** that may or may not have anything to do with consumers' thought processes, or (2) attributes grouped under...
...researchers do not develop theories to guide them in creating survey attributes and in interpreting **data analysis** techniques such as factor **analysis**, coefficient alpha, and item analysis. Theory must guide the researcher in creating and assessing summated...

10/3,K/5 (Item 5 from file: 15) [Links](#)
ABI/Inform(R)
(c) 2009 ProQuest Info&Learning. All rights reserved.
00961916 96-11309
Data acquisition: Making the quality connection
Kendrick, John J
Quality v34n1 pp: 22-24
Jan 1995
ISSN: 0360-9936 **Journal Code:** QUA
Word Count: 1872
Text:

...for operators to make product."
The traceability function eliminated problems of identifying different operators, machines, or shifts. Using such **identifiers** enables localized statistical **analysis**. The quality department can target and analyze a specific point within the process that is causing problems.
The **data** collection system provides two **data analysis** choices--charts and statistics based on common SPC requirements and advanced analysis and charting in...

10/3,K/6 (Item 6 from file: 15) [Links](#)
ABI/Inform(R)
(c) 2009 ProQuest Info&Learning. All rights reserved.
00727441 93-76662
Nonroman Scripts in the Bibliographic Environment
Aliprand, Joan M.
Information Technology & Libraries v11n2 pp: 105-119
Jun 1992
ISSN: 0730-9295 **Journal Code:** JLA
Word Count: 7319
Text:

...ensures maximum retrieval, but can bring up unwanted matches. Perhaps OPACs should have an optional **feature** to eliminate unwanted matches of this sort by **filtering** the retrieval result to eliminate **records** that do **not** have the diacritical **marks** and special characters included in the search statement.
NONROMAN DATA IN USMARC
The factors described...

10/3,K/7 (Item 1 from file: 9) [Links](#)
Business & Industry(R)
(c) 2009 Gale/Cengage. All rights reserved.
02872182 Supplier Number: 94129904 (**USE FORMAT 7 OR 9 FOR FULLTEXT**)
Performance, speed improve with scaleable SDMS. (Data Management & Analysis). (Scientific Data Management System)
R&D Magazine , v 44 , n 10 , p 23
October 2002
Document Type: Journal **ISSN:** 0746-9179 (United States)
Language: English **Record Type:** Fulltext

Word Count: 1359 (USE FORMAT 7 OR 9 FOR FULLTEXT)
TEXT:

...or discarded.
Accessing and reviewing data
Data in NuGenesis SDMS may be searched based on **metadata tags**
and/or by content. NuGenesis SDMS **filters** allowed BAS
scientists to **filter data** within a given NuGenesis project
based on any combination of BAS created tags. Content searches...

10/3,K/8 (Item 2 from file: 9) [Links](#)
Business & Industry(R)
(c) 2009 Gale/Cengage. All rights reserved.
01498956 Supplier Number: 24198512 (USE FORMAT 7 OR 9 FOR FULLTEXT)
Information Builders, Inc. Launches WebFocus Suite
(**Information Builders offers WebFocus Suite, new set of Java applets aimed at extending the ability to create**
"drill down" business intelligence (BI) reports)
Newsbytes News Network , p N/A
March 10, 1998
Document Type: Journal (United States)
Language: English **Record Type:** Fulltext
Word Count: 1087 (USE FORMAT 7 OR 9 FOR FULLTEXT)
TEXT:

...database administrator, Sandel maintained. End users can save their
reporters in either Excel, Word, Lotus, or HTML (hypertext
mark-up language) formats.
Managed reporting also includes an OLAP (online analytical processing)
navigation tool, with **features** for end users like **data**
pivoting, **filtering**, and drill down.
Reports used with the navigation tool must first be prepared by a...

10/3,K/9 (Item 1 from file: 635) [Links](#)
Business Dateline(R)
(c) 2009 ProQuest Info&Learning. All rights reserved.
0519031 94-73491
Loyus begins shipping six new desktop applications for Windows, OS/2 and DOS
Simmons, Bryan
Business Wire (San Francisco , CA , US) s 1 p 1
Publication Date: 940808
Word Count: 1,106
Dateline: Cambridge, MA, US
Text:

...completion of everyday spreadsheet tasks, while Lotus Ami Pro 3.1 for
Windows features new **file filters** for Microsoft Word 6.0 and
WordPerfect 6.0 for Windows, enabling users to easily...
...from 1-2-3 menus. For example, 1-2-3 Release 5 users can use
features in Approach to do dynamic crosstab **analysis**
or produce mailing **labels**, reports, and forms for their 1-2-3
data.
Enhanced Workgroup Capabilities
The new Windows...

10/3,K/10 (Item 1 from file: 610) [Links](#)
Business Wire
(c) 2009 Business Wire. All rights reserved.
00042162 19990510130B0341 (USE FORMAT 7 FOR FULLTEXT)
MapInfo Corporation Announces Release of MapInfo Professional 5.5
Business Wire
Monday , May 10, 1999 10:12 EDT
Journal Code: BW **Language:** ENGLISH **Record Type:** FULLTEXT **Document Type:** NEWSWIRE

Word Count: 927

1999

Text:

...hills, roadways, and rivers on maps which enhances data visualization and allows for more accurate **analysis** of geographic information.

-- Enhanced Cartographic Legends--creates automatic, specific **feature**

descriptions for symbols in order to convey real-world information and produce a neater presentation, such as **symbols** for a "school" or

"hospital" instead of just a "point" on a map.

-- New MapWizard Tool--offers a centralized, more streamlined process for opening **data**, performing **analysis** and generating output.

Several other enhancements in MapInfo Professional 5.5 respond to user needs...

10/3,K/11 (Item 1 from file: 810) [Links](#)

Business Wire

(c) 1999 Business Wire . All rights reserved.

0422541 BW1107

LOTUS DEVELOPMENT : Lotus Begins Shipping Six New Desktop Applications for Windows, OS/2 and DOS

August 8, 1994

Byline: Business Editors

...completion of everyday spreadsheet tasks, while Lotus Ami Pro 3.1 for Windows features new **file filters**

for Microsoft Word 6.0 and WordPerfect 6.0 for Windows, enabling users to easily...

...from 1-2-3 menus. For example,

1-2-3 Release 5 users can use **features** in Approach to do dynamic crosstab **analysis** or produce mailing **labels**

, reports, and forms for

their 1-2-3 data.

Enhanced Workgroup Capabilities

The new Windows...

10/3,K/12 (Item 1 from file: 275) [Links](#)

Gale Group Computer DB(TM)

(c) 2009 Gale/Cengage. All rights reserved.

01932916 **Supplier Number:** 18220942 (Use Format 7 Or 9 For FULL TEXT)

Moving on to the Net? Think about your route. (approaches for creating firewalls) (includes related articles on Unix systems security, glossary of firewall terms, security product listing) (Technology Information)

Gilliland, Steve

Data Based Advisor , v14 , n5 , p60(6)

May , 1996

ISSN: 0740-5200

Language: English **Record Type:** Fulltext; Abstract

Word Count: 4074 **Line Count:** 00336

...all your corporate data.

Firewalls use two different methods to thwart intruders and protect your **data**--packet **filters** and gateways. Many commercial firewall products provide a combination of the two approaches. Packet **filters** block packet transmission based on protocol, address, or port **identifiers**. Application gateways **filter** transmissions using application-specific rules.

Packet **filters**

Packet filters are a routing function. Basically, they route or drop IP packets based on...

19960500

10/3,K/13 (Item 2 from file: 275) [Links](#)
Gale Group Computer DB(TM)
(c) 2009 Gale/Cengage. All rights reserved.

10/3,K/14 (Item 3 from file: 275) [Links](#)
Gale Group Computer DB(TM)
(c) 2009 Gale/Cengage. All rights reserved.

01427850 **Supplier Number:** 10618265 (Use Format 7 Or 9 For FULL TEXT)

An instrument for testing North American digital cellular radios. (Hewlett-Packard's HP 11846A; includes related article on HP 11846A filtering technique)

Hoover, David M.

Hewlett-Packard Journal , v42 , n2 , p65(8)

April , 1991

ISSN: 0018-1153

Language: ENGLISH **Record Type:** FULLTEXT; ABSTRACT

Word Count: 3839 **Line Count:** 00301

...raised cosine filter with an a of 0.35. Notice that this impulse response does **not** have nulls at **symbol** decision points. This indicates that there will be intersymbol interference for this **filter characteristic**. The intersymbol interference problem is rectified because the receiver has another square root raised cosine **filter**. When the transmitted **data** is **filtered** by the receiver's square root raised cosine **filter**, the received **data** should have no intersymbol interference. This is the filter arrangement chosen for the NADMCS. Fig...

19910400

10/3,K/15 (Item 4 from file: 275) [Links](#)
Gale Group Computer DB(TM)
(c) 2009 Gale/Cengage. All rights reserved.

01416509 **Supplier Number:** 09407244 (Use Format 7 Or 9 For FULL TEXT)

Capitalist tools for Mac tycoons; Mac stock trackers come up a bit short. (Software Review) (Market Analyzer, Market Manager Plus 2.03 and Wall Street Investor 3.02 investment software) (evaluation)

Beamer, Scott

MacWEEK , v5 , n5 , p46(2)

Feb 5 , 1991

Document Type: evaluation

ISSN: 0892-8118

Language: ENGLISH **Record Type:** FULLTEXT; ABSTRACT

Word Count: 1658 **Line Count:** 00133

...lacks the capability to send clients monthly reports on preprinted paper; it also cannot print **or** export client mailing **labels**.

Nor can it automatically update prices on-line at preset intervals or set price-alert points.

Data analysis is the program's strength. For fundamental **analysis**, a special **feature** called the Prospector allows the software to search on-line for securities that match a...

19910205

10/3,K/16 (Item 5 from file: 275) [Links](#)
Gale Group Computer DB(TM)
(c) 2009 Gale/Cengage. All rights reserved.

01352655 **Supplier Number:** 08265760 (Use Format 7 Or 9 For FULL TEXT)

FM sidebands: tuning in to Wall Street. (obtaining stock data via radio waves)(includes related article about reception)

Lockwood, Russ

Personal Computing , v14 , n4 , p80(5)

April 27 , 1990

ISSN: 0192-5490

Language: ENGLISH **Record Type:** FULLTEXT; ABSTRACT

Word Count: 2837 **Line Count:** 00214

...flood of news, much of it inappropriate. To get around this vexing information overload, Desktop **Data** lets you **filter** the news on your end. You set the **parameters**--a company, stock **symbol**, industry, **or** other keyword or phrase--and the software scans every incoming story. When your parameters match...

19900427

10/3,K/17 (Item 6 from file: 275) [Links](#)

Gale Group Computer DB(TM)

(c) 2009 Gale/Cengage. All rights reserved.

01238963 **Supplier Number:** 06200288 (Use Format 7 Or 9 For FULL TEXT)

The LAN audit trail: tools for the LAN administrator. (Software Review) (Blue Lance's LT Auditor 2.03 and LAN Services Inc.'s LANtrail 2.0) (evaluation)

Sawicki, Ed

PC Tech Journal , v6 , n2 , p126(8)

Feb , 1988

Document Type: evaluation

ISSN: 0738-0194

Language: ENGLISH **Record Type:** FULLTEXT; ABSTRACT

Word Count: 5580 **Line Count:** 00441

...LT Auditor implementation.

The filter for each user's audit shell comprises one or more **filter** elements that describe specific **files** and file operations to be monitored. Each element requires the following parameters to be defined:

- * File Operation. This parameter specifies which DOS file operations--such as opening or closing a **file**--will be audited for each **filter** element. **File** operations are identified in a **filter** element with a single character.

- * Path. The path **parameter** can specify a specific directory to be audited and may also include a Novell volume name **or** drive **identifier**. LT Auditor is sensitive to current drive mappings and alerts the administrator if a path...

19880200

10/3,K/18 (Item 1 from file: 47) [Links](#)

Gale Group Magazine DB(TM)

(c) 2009 Gale/Cengage. All rights reserved.

06436508 **Supplier Number:** 94129904 (USE FORMAT 7 OR 9 FOR FULL TEXT)

Performance, speed improve with scaleable SDMS. (Data Management & Analysis).(Scientific Data Management System)

DeVincentis, John

R & D , 44 , 10 , 23(3)

Oct , 2002

ISSN: 0746-9179

Language: English **Record Type:** Fulltext

Word Count: 1489 **Line Count:** 00128

...or discarded.

Accessing and reviewing data

Data in NuGenesis SDMS may be searched based on **metadata tags** and/or by content. NuGenesis SDMS **filters** allowed BAS scientists to **filter data** within a given NuGenesis project based on any combination of BAS created tags. Content searches...

20021001

10/3,K/19 (Item 1 from file: 621) [Links](#)

Gale Group New Prod.Annou.(R)

(c) 2009 Gale/Cengage. All rights reserved.

01056347 **Supplier Number:** 40207477 (USE FORMAT 7 FOR FULLTEXT)

AFFORDABLE PORTABLE 1/2" TAPE CLEANER

News Release , p 1

Nov 4 , 1987

Language: English **Record Type:** Fulltext

Document Type: Magazine/Journal ; Trade

Word Count: 187

-

20235 Bahama Street
Chatsworth, CA 91311
818/998-2900

AFFORDABLE PORTABLE 1/2" TAPE **CLEANER**

Chatsworth, Calif. - **Data**

Devices International announced today the immediate availability of the country's first portable and affordable

...

...cleaner contains all of the features expected in a more expensive fixed installation model. Standard

features of

the Mark 300 include proprietary rotating **cleaning** blade, quick release hubs, packer arm, automatic detection of missing or

duplicate

BOT markers, microprocessor motion control and vacuum cleaning stations.

The Mark 300 comes packaged in a rugged...

19871104

10/3,K/20 (Item 1 from file: 636) [Links](#)

Gale Group Newsletter DB(TM)

(c) 2009 Gale/Cengage. All rights reserved.

03841706 **Supplier Number:** 48348556 (**USE FORMAT 7 FOR FULLTEXT**)

Information Builders, Inc. Launches WebFocus Suite 03/10/98

Emigh, Jacqueline

Newsbytes , p N/A

March 10 , 1998

Language: English **Record Type:** Fulltext

Document Type: Newswire ; General Trade

Word Count: 1127

-

...database administrator,

Sandel maintained. End users can save their reporters in either Excel, Word, Lotus, or HTML (hypertext **mark-up** language)

formats.

Managed reporting also includes an OLAP (online analytical processing) navigation tool, with **features** for end users like **data**

pivoting,

filtering, and drill down.

Reports used with the navigation tool must first be prepared by a...

19980310

10/3,K/21 (Item 2 from file: 636) [Links](#)

Gale Group Newsletter DB(TM)

(c) 2009 Gale/Cengage. All rights reserved.

02460571 **Supplier Number:** 44922545 (**USE FORMAT 7 FOR FULLTEXT**)

WORKGROUP COMPUTING: LOTUS BEGINS SHIPPING SIX NEW DESKTOP APPLICATIONS FOR WINDOWS, OS/2 & DOS

EDGE: Work-Group Computing Report , v 5 , n 221 , p N/A

August 15 , 1994

Language: English **Record Type:** Fulltext

Document Type: Newsletter ; Trade

Word Count: 1045

-

...completion of everyday spreadsheet tasks, while Lotus Ami Pro 3.1 for Windows features new **file filters** for Microsoft Word 6.0 and WordPerfect 6.0 for Windows, enabling users to easily...
...from 1-2-3 menus. For example, 1-2-3 Release 5 users can use **features** in Approach to do dynamic crosstab **analysis** or produce mailing **labels**, reports, and forms for their 1-2-3 data.

ENHANCED WORKGROUP CAPABILITIES The new Windows...

19940815

10/3,K/22 (Item 1 from file: 16) [Links](#)
Gale Group PROMT(R)
(c) 2009 Gale/Cengage. All rights reserved.
03240278 **Supplier Number:** 44453305 (USE FORMAT 7 FOR FULLTEXT)
Measurement tool for Windows
Electronic Engineering Times , p 82
Feb 21 , 1994
Language: English **Record Type:** Fulltext
Document Type: Magazine/Journal ; Trade
Word Count: 417
-

...view a data set's history.

For slowly changing data, users can call up an **indicator** or panel meter window, which can show the averaged, **filtered** or otherwise processed DAP **data**. Indicators can show preset measured **parameter** limits using, say, variable height, colored bars.

DAPwindows sells for \$295 (introductory price). DAPs range...

19940221

10/3,K/23 (Item 1 from file: 148) [Links](#)
Gale Group Trade & Industry DB
(c) 2009 Gale/Cengage. All rights reserved.
16606371 **Supplier Number:** 112169316 (USE FORMAT 7 OR 9 FOR FULL TEXT)
Visualize an entire process on one screen.(New development: products, services and software)
Kane, Les; Romanow, Stephany; Meche, Helen
Hydrocarbon Processing , 82 , 12 , 86(1)
Dec , 2003
ISSN: 0018-8190
Language: English
Record Type: Fulltext
Word Count: 167 **Line Count:** 00017
Text:

...with the new scroll-bar function. The improved label's straightforward, simple-to-read variable **identifiers** are **not** size restricted and everyone across the organization can understand them. Over 20 new and improved **features** and functions increase **data analysis** and process control capabilities.

20031201

10/3,K/24 (Item 2 from file: 148) [Links](#)
Gale Group Trade & Industry DB
(c) 2009 Gale/Cengage. All rights reserved.
14823392 **Supplier Number:** 89872391 (USE FORMAT 7 OR 9 FOR FULL TEXT)
eSignal 7.0.1. (Software Review).(Statistical Data Included)
Holter, James T.
Futures (Cedar Falls, Iowa) , 31 , 9 , 58(2)
July , 2002
Document Type: Statistical Data Included
ISSN: 0746-2468
Language: English
Record Type: Fulltext

Word Count: 1587 **Line Count:** 00128

...as TradeStation and MetaStock, but it's a well-liked feature that has crept into **data** and **analysis** integrated packages, such as CQG and FutureSource, ...that nonetheless is quite powerful. (Note that eSignal, as is the case with the other **data** and **analysis** integrated packages, has yet to integrate system testing **features** along with the custom indicator tools.)

Users can access code for individual **indicators** or other display studies. These studies can, for example, draw custom colored bars beneath the chart...

20020701

10/3,K/25 (Item 3 from file: 148) [Links](#)
Gale Group Trade & Industry DB
(c) 2009 Gale/Cengage. All rights reserved.
06765391 **Supplier Number:** 14776651 (USE FORMAT 7 OR 9 FOR FULL TEXT)
Modular concept slashes fixture costs, leadtimes. (Manufacturing Update)
Tooling & Production , v59 , n7 , p25(2)
Oct , 1993
ISSN: 0040-9243
Language: ENGLISH
Record Type: FULLTEXT; ABSTRACT
Word Count: 776 **Line Count:** 00061

...transducer (LVDT) probes mounted at strategic spots in the fixture send information on critical part **characteristics** to the computer for **data** acquisition and statistical **analysis**. Kurt also manufactures modular fixtures with digital or analog dial **indicators**, although Mr Stout says these systems account for less than 10% of the company's...

19931000

10/3,K/26 (Item 4 from file: 148) [Links](#)
Gale Group Trade & Industry DB
(c) 2009 Gale/Cengage. All rights reserved.
04158929 **Supplier Number:** 08273209 (USE FORMAT 7 OR 9 FOR FULL TEXT)
Using pattern recognition to find trading signal filters.
Stein, Jon; Aronson, David
Futures (Cedar Falls, Iowa) , v18 , n11 , p40(3)
Nov , 1989
ISSN: 0746-2468
Language: ENGLISH
Record Type: FULLTEXT
Word Count: 2240 **Line Count:** 00176

...the popular RSI indicator or the five-day change in Treasury bill rates or other **data**.

Filter development efforts of limited scope can be performed by using a spreadsheet and an off...
...the number of indicators used in a filter to one and the total number of **indicators** analyzed to 30 or fewer.

Overfitting can be avoided by **setting** aside half of the signal **data** to test the **filters**. The more ambitious analysis of hundreds of indicators requires special software.

SPR employs a type...

19891100

10/3,K/27 (Item 5 from file: 148) [Links](#)
Gale Group Trade & Industry DB
(c) 2009 Gale/Cengage. All rights reserved.

04076005 **Supplier Number:** 07843031 (USE FORMAT 7 OR 9 FOR FULL TEXT)
COMPENDEX*PLUS: improvements in engineering's premiere database. (evaluation)
Schwarzwalder, Robert
Database , v12 , n4 , p79(6)
August , 1989
Document Type: evaluation
ISSN: 0162-4105
Language: ENGLISH
Record Type: FULLTEXT
Word Count: 2691 **Line Count:** 00225

...in COMPENDEX*PLUS than in other databases. Keyword search sets may be intersected with Ei **descriptors** or classification codes in order to **filter** out irrelevant **records**. The availability of very broad two-digit classification codes provides excellen**"filters"** for most searches. In this manner, a **feature** of the file that is often of little

19890800

10/3,K/28 (Item 1 from file: 484) [Links](#)
Periodical Abs Plustext
(c) 2009 ProQuest. All rights reserved.
02995503 **Supplier Number:** 96364723 (USE FORMAT 7 OR 9 FOR FULLTEXT)
Exploring whiteness: A study of self labels for white Americans
Martin, Judith N; Krizek, Robert L; Nakayama, Thomas K; Bradford, Lisa
Communication Quarterly (PCMQ) , v44 n2 , p 125-144 , **p. 20**
Spring 1996
ISSN: 0146-3373 **Journal Code:** PCMQ
Document Type: Feature
Language: English **Record Type:** Fulltext; Abstract
Word Count: 9260
1996
TEXT:

...had been in the United States, and finally, where they grew up--town, city, suburb, **or** country. **Data Analysis**
Label Preference. We submitted the ratings data on the two scales to SPSS FREQUENCIES program (Norusis, 1988...

?

